

Certificate of Analysis



Name of the product : Cyclo Spray

Product number : 97064004 Our ref. number : CB
Batch number : 1401412 Packaging : 422 ml
Manufacturing date : 01-2014 Date of analysis : 06-02-2014
Expiry date : 01-2017 CoA version : SC-LAB97064004.2.0
Testing method Dechra : QM-SC-LAB72432 Destination : Hungary
Batch number internal : 931299

DETERMINATIONS	SPECIFICATIONS	RESULTS
CHARACTERS	Blue suspension	Blue suspension
ODOUR	Characteristic odour of IPA	Characteristic odour of IPA
NETT FILL WEIGTH (g)	253.6 – 269.4	263.1
PARTICLE SIZE DISTRIBUTION	≥80% < 100 µm ≥45% < 50 µm ≥15% < 20 µm	100 89 67
PRESSURE TESTING (bar)	2.5 - 3.5	3.1
LEAKAGE TESTING (%/year)	< 3.5	0.0
DELIVERY RATE (g/s)	0.9 -1.6	1.2
RESUSPENDABILITY (%)	≥ 90	98
MICROBIOLOGICAL QUALITY	Ph.Eur.,5.1.4, Cat.2	Ph.Eur.,5.1.4, Cat.2
IDENTIFICATION OF Patent blue V Chlortetracycline HCl	Positive Positive	Positive Positive
PACKAGING & LABELLING	Conform instructions	Conform instructions
ASSAY Chlortetracycline HCl (g/container)	6.10 – 6.74	6.44

Els de Meijer

17 FEB 2014

Qualified Person

Conclusion : Conform specifications.

The batch has been manufactured, including packaging and quality control, in accordance with the requirements of the Marketing Authorisation and in compliance with Good Manufacturing Practices

Eurovet Animal Health BV
P.O. Box 179, 5530 AD Bladel, the Netherlands, Handelsweg 25, 5531 AE Bladel, the Netherlands,
Phone +31 (0)497 54 43 00, Fax +31 (0)497 54 43 02, Rabobank, IBAN: NL43 RABO 0120 2375 71
BIC: RABONL2U, VAT NL 0075.63.401.B01, Chamber of Commerce Eindhoven, reg. no. 17054289
All offers and deliveries are made in accordance with our general terms and conditions of sale deposited with the Chamber of Commerce at Eindhoven.



FSC
www.fsc.org

MIX

Papier van
verantwoorde
herkomst

FSC® C021795

Dechra