

**EUROPEAN COMMUNITY/EEA OFFICIAL BATCH PROTOCOL REVIEW**

**CERTIFICATE OF APPROVAL  
FOR IMMUNOLOGICAL VETERINARY MEDICINAL PRODUCTS**

*Name and address of the control authority performing the document review:*


**National Food Chain Safety Office, Directorate of Veterinary Medicinal Products**  
H-1107. Budapest , Szállás utca 8., Hungary

Examined under Article 81 of Directive 2001/82/EC as amended by Directive 2004/28/EC.

<b>Trade name:</b>	<b>DIFTOSEC CT</b>
<b>International non-proprietary Name / Ph. Eur. name / common name</b>	-
<b>Name and address of marketing authorisation holder</b>	<b>MERIAL</b> 29, avenue Tony Garnier 69007, Lyon, France
<b>Name and address of manufacturer responsible for batch release</b>	<b>Merial Laboratory of Portes des Alpes,</b> Rue de l'Aviation, 69800 Saint Priest, France
<b>Manufacturer's batch number(s) appearing on package</b>	
- Batch number of finished product	L412256
- Batch number of final batch	4DCC3971
- Batch number of final bulk	4DCC0970
<b>Marketing authorization number (EC)</b>	<b>2409/1/08 MgSzH ÁTI (1000 doses)</b>
<b>Batch number of diluent (where appropriate)</b>	<b>4SGD0811</b>
<b>Batch number of final bulk</b>	<b>4SGD0810</b>
<b>Type of container:</b>	<b>Glass bottle with rubber stopper</b>
<b>Total number of this batch:</b>	<b>1000</b>
<b>Total number of this shipment from this batch:</b>	<b>1000</b>
<b>Number of doses per container:</b>	<b>1000</b>
<b>Date of start of period of validity:</b>	<b>14. 02. 2014.</b>
<b>Date of expiry</b>	<b>14. 11. 2015.</b>

The signed manufacturer's release protocol for this batch has been examined in conformity with Article 81.

The batch is in compliance with all of the approved specifications laid down in the above noted marketing authorization.

<b>Signed:</b>	
<b>Name and function of signatory:</b>	<b>Dr. Gábor Kulcsár,</b> <b>DVM PhD, Director</b>
<b>Date of issue:</b>	<b>29. 08. 2014.</b>

Certificate Number: 02.2/04474/001/2014