



### CERTIFICATE OF ANALYSIS

Report n° 1170  
Packaging 25 Kg bag

Manufacturing date: Nov-13  
Expiry date: Nov-15  
Analysis date: Nov-13

DOXIPAN MIX 100		BATCH N°	13111308
TEST	SPECIFICATIONS	RESULTS	
Appearance	Uniform light brown powder	Conform	
Loss on drying	< 10%	3,14 %	
Doxycycline related substances	As reported in Eu. Ph. Curr. Ed.	Conform	
Doxycycline identification	As reported in Eu. Ph. Curr. Ed.	Positive	
BHT quantitative determination (HPLC)	0,38 - 0,42 g/Kg	0,39	g/Kg
Doxycycline quantitative determination (HPLC)	95 - 105 g/Kg	100,84	g/Kg

Rio saliceto,

09/01/2014

Rejected



Approved



Issued by Quality Control Department: Dr. Simone Mora

Approved by Qualified Person: Dr.ssa Germana Stefanelli

Slovak Republic

Cod. 14178/01

**KERESKEDELMI CÉLRA  
FELSZABADÍTVA**

INDUSTRIA ITALIANA INTEGRATORI TREI SpA

SEDE LEGALE  
41124 MODENA  
Viale Cassanese, 62

www.trei.com  
Cap. Soc. € 635.322,00  
Reg. Imp. AN/04515040964

REA n° 346371  
C.F. 04515040964  
PI 04515040964

AMMINISTRAZIONE E STABILIMENTO  
Via Affrosa, 4  
42019 Rio Saliceto (RE)

Tel. +39 0522 640711  
Fax +39 0522 649757 +39 0522 640716  
info@trei.com