



Certificate of Analysis

ZOETIS BELGIUM SA
PREVIOUSLY NAMED
PFIZER ANIMAL HEALTH SA
RUE LAID BURNIAT, 1
B-1348 LOUVAIN-LA-NEUVE
BELGIUM
AUTHORIZATION NUMBER 419 V

Page 1 of 1

BANMINTH 10G

FP Batch Number: 2400758
Manufacturing date: 31-MAR-2014
Expiration Date: MAR-2017
Country: - HUNGARY - POLAND

SFP Batch Number:2400400
FP received at LC on:24/06/2014
Shipment Number:9817491

TEST / DATA	RESULT	UNIT	SPECIFICATION
Description	Conform	N/A	A light yellow opaque paste free from agglomerates or visible foreign particles.
Syringeability	Conform	N/A	Easily syringeable with no obstruction
Weight variation	Conform	N/A	No individual syringe less than 100%
Pyrantel identification	Conform	N/A	Retention time of sample and standard must concur
Methyl- and Propyl-Parabens identification	Conform	N/A	Retention time of sample and standard must concur
Pyrantel base assay	99	%	95% \leq x \leq 105% of 7.5 mg/g
Methyl-Paraben potency	98	%	90% \leq x \leq 110% of 1.8 mg/g
Propyl-paraben potency	96	%	90% \leq x \leq 110% of 0.2 mg/g
Impurity cis-isomer	Not detected	%	Cis-isomer \leq 0.5%
Impurity amide	Not detected	%	Amide \leq 0.4%
Impurity total unspecified	Not detected	%	Total unspecified \leq 1.0%
Viable micro-organisms count	< 1	CFU/g	\leq 1000 CFU/g (interpreted as 2 x defined limit)
Moulds and yeast content	< 1	CFU/g	\leq 100 CFU/g (interpreted as 2 x defined limit)
E. coli content	0	germes/g	Not present in 1 g
Salmonella content	0	germes/g	Not present in 1 g
Pseudomonas aeruginosa content	0	germes/g	Not present in 1 g
Staph. aureus content	0	germes/g	Not present in 1 g
Other enterobacteriaceae content	0	CFU/g	\leq 100 CFU/g

I hereby certify that the above information is authentic and accurate. This batch of product has been manufactured, including packaging and quality control in full compliance with the GMP requirements of the local regulatory authority and with those stipulated in the Marketing Authorization.

Date: _____

Signature: _____

Philippe BERTZ
Quality Operations Director
Zoetis Belgium SA