



CERTIFICATE OF ANALYSIS

Name	VETRIMOXIN 50	Batch N°	2014A1
Presentation	1 Kg	Manufacturing date	3-NOV-2014
Code list	83682C	Expiry date	3-NOV-2016

Tests	Specifications	Results
GENERAL CHARACTERISTICS		
Appearance :	Fine white to almost white powder	COMPLIES
Average weight of powder :	100 - 105 %	101
Granulometry :		
- % of particles <= 25µm	>=35.0	71.3
- % of particles <= 500µm	>=90.0	100.0
Appearance of solution at 4.0% (w/v)	Slightly opalescent yellowish solution	COMPLIES
pH (solution at 4.0% w/v):	7.5 - 9.5	8.5
Appearance of solution at 0.04%(w/v):	Clear colourless solution	COMPLIES
pH (solution at 0.04% w/v):	7.5 - 9,5	8.4
Water content :	12.0 - 14.5 %	12.9
IDENTIFICATIONS		
Amoxicillin (as trihydrate) :	RT identical to standard	COMPLIES
ASSAYS		
Amoxicillin (as trihydrate):	47.50 - 52.50 g % g	49.95
Purity test (%relative to the active)		
-amoxicilloic acid	<=1.0 %	0.2
-amoxi 2R,plperazine 2,5 dione	<=1.0 %	0.7

This batch has been tested in reference to the dossier in force and has been found to meet the specification requirements

COMPLIES / NOT COMPLIES

Checked by : Cath. GOOSSAERT

Batch Release number 360694

Batch Release date 7-JAN-2015

ACCEPTED by

Laurent MAGNIES
Qualified Person

The undersigned certifies this is a true copy of the results of tests and assays.

Page 1 sur 2



CERTIFICATE OF ANALYSIS

Name **VETRIMOXIN 50** Batch N° **2014A1**
Presentation **1 Kg**
Code list **83682C** Manufacturing date **3-NOV-2014**
Expiry date **3-NOV-2016**

Tests	Specifications	Results
ASSAYS		
-amoxi 2S, piperazine 2,5 dione	≤ 1.0 %	0.2
-Total known and unknown	≤ 2.0 %	1.2

This batch has been tested in reference to the dossier in force and has been found to meet the specification requirements

COMPLIES / NOT COMPLIES

Checked by : Cath. GOOSSAERT

Batch Release number 360694

Batch Release date 7-JAN-2015

ACCEPTED by

Laurent MAGNIES
Qualified Person

The undersigned certifies this is a true copy of the results of tests and assays.

Page 2 sur 2