



Certificate of Analysis

Norbrook Laboratories Ltd
 Newry
 BT36 6QQ
 Northern Ireland

Tel: +44 (0) 28 3026 4436
 Fax: +44 (0) 28 3026 1721
 Email: enquiries@norbrook.co.uk
 Web: <http://www.norbrook.com>

Name of Product:	Alamycin Aerosol [Alpha Vet Hungary]			
Batch Number	Quantity	Date of Manufacture	Expiry Date	Packaging
5031-12	5,004	January 2015	January 2017	140g Aerosol Can
Active Ingredient:	Oxytetracycline Hydrochloride (35.7 mg/g)			

Analytical	Results	Specifications
Appearance	Conforms	A blue, opaque solution.
Identification:		
• Oxytetracycline Hydrochloride	Confirmed	• Identity confirmed.
• Patent Blue V	Confirmed	• Identity confirmed.
Fill Weight:	100 % (140.35g)	100 to 108% of nominal.
Spray Pattern	Conforms	Uniform.
Mean Spray Rate	12 g/5 sec	10 to 15 g/5 seconds (n=5).
Assay:		
• Oxytetracycline Hydrochloride	3.46 %w/w	3.39 to 3.75 %w/w

I hereby certify that the above information is authentic and accurate in so far that the specification information is available to us and we confirm that our scientific findings are true. This batch of product has been fabricated/manufactured, including packaging and quality control at the above mentioned site (Manufacturing Authorisation Number: ManA 2000) in full compliance with GMP requirements and in accordance with the specification provided to us. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Prepared by: KELAN JAYSON
 Date of Issue: 20-February-2015
 Goods Invoice Number:

PASSED

APPROVED FOR THE HEAD OF QUALITY CONTROL

Mr Ken Allen M.Sc., B.Sc., MRSC
 Director of Compliance
 Qualified Person