

SANOCHEMIA PHARMAZEUTIKA AG

A-2491 Neufeld/Leitha, Landeggerstr. 7, Tel.: +43-2624-52342-0. Fax: +43-2624-52342-143

BATCH CERTIFICATE

NAME OF PRODUCT

ALVEGESIC VET. 10 mg/ml Injection solution ad.us.vet

Packaging Size: 10 ml
No. of packages: 600
Country: Hungary/Lithuania
Marketing Authorisation no.: 3007/1/11 MgSzH ATI (10 ml)
Marketing Authorisation no.: LT/2/10/2048/001
Manufacturer: Sanochemia Pharmazeutika AG, Landeggerstr. 7, 2491 Neufeld/L.
Batch No.: PO0075
Manufacturing Date: 01.2015
Expiry Date: 12.2018
Date of Analysis: 02.2015

Page 1/2

	SPECIFICATION	RESULT
APPEARANCE:	clear solution, free from visible impurities	clear solution, free from visible impurities
AVERAGE CONTENTS:	≥ 10.0 ml	10.5 ml
COLOUR OF SOLUTION:	not more intensely coloured than reference solution B9	not more intensely coloured than reference solution B9
pH:	3.7 – 4.7	4.1
DENSITY:	0.990 – 1.030 g/ml	1.012 g/ml
IDENTITY: Butorphanol: HPLC UV Benzethonium chloride:HPLC	Retention time conforms to standard Absorption maximum at 279 ± 3 nm Absorption minimum at 245 ± 3 nm Retention time conforms to standard	conforms 278 nm 246 nm conforms
ASSAY: Butorphanol Benzethonium chloride	HPLC: 9.50 – 10.50 mg/ml (95.0 – 105.0%) HPLC: 0.090 – 0.105 mg/ml (90.0 – 105.0%)	10.10 mg/ml 0.096 mg/ml
KNOWN IMPURITIES: 5.6-Dehydrobutorphanol tartrate 6.7-Dehydrobutorphanol tartrate	Σ ≤ 0.2%	< 0.1%

SANOCHEMIA PHARMAZEUTIKA AG

A-2491 Neufeld/Leitha, Landeggerstr. 7, Tel.: +43-2624-52342-0. Fax: +43-2624-52342-143

BATCH CERTIFICATE

NAME OF PRODUCT

ALVEGESIC VET. 10 mg/ml
Injection solution ad.us.vet

Packaging Size: 10 ml
No. of packages: 600
Country: Hungary/Lithuania
Marketing Authorisation no.: 3007/1/11 MgSzH ATI (10 ml)
Marketing Authorisation no.: LT/2/10/2048/001
Manufacturer: Sanochemia Pharmazeutika AG, Landeggerstr. 7, 2491 Neufeld/L.
Batch No.: PO0075
Manufacturing Date: 01.2015
Expiry Date: 12.2018
Date of Analysis: 02.2015

Page 2/2

	SPECIFICATION	RESULT
UNKNOWN IMPURITIES:	individual: $\leq 0.2\%$	0.1%
TOTAL IMPURITIES:	$\leq 1.0\%$	0.1%
STERILITY:	sterile	sterile

Certification

I hereby certify that the above information is authentic and accurate. This batch of product has been manufactured, including packaging and quality control at the above mentioned site in full compliance with the GMP requirements of the local Regulatory Authority and in compliance with the specification in the Marketing Authorisation dossier. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

The product batch certified in this document is released for sale.

Neufeld/Leitha, 17.04.2015

Dr. Jan Rothenburger



Qualified Person

DR LENGYEL TAMÁS
minőségügyi vezető



KERESKEDELMI CÉLRA
FELSZABADÍTVA