

## Manufacturer's Batch Protocol

*Product: Bovilis BVD*

*Batch: A099A02*

### MEMBER STATE SPECIFIC INFORMATION

Member state: **HUNGARY**

#### Antigen containing component:

Trade name:	<b>Bovilis BVD</b>
Marketing authorisation number:	
Target species:	<b>Cattle</b>
Total number of containers in this batch:	<b>30 252</b>
Number of containers the release is applied for:	<b>30 252</b>
Number of doses per container:	<b>10</b>
Number of samples for the competent authority:	<b>-</b>
Date of expiry:	<b>Ju1-2015</b>
Name and address of Marketing Authorisation Holder:	<b>Intervet International B.V. Wim de Körverstraat 35 5831 AN Boxmeer THE NETHERLANDS, represented by the local company</b>

**14-Aug-2014/s1**

**1103334738/10**

## Manufacturer's Batch Protocol

*Product: Bovilis BVD*

*Batch: A099A02*

### SUMMARY INFORMATION ON THE FINAL BATCH OF FINISHED PRODUCT

Common name of product:	<b>Bovine viral diarrhoea vaccine (inactivated).</b>
Batch number of finished product:	<b>A099A02</b>
Batch number of final bulk:	<b>A099</b>
Pharmaceutical form of finished product:	<b>Suspension for injection</b>
Type of final container:	<b>PET bottles</b>
Date of start of period of validity:	<b>30-Jan-2014</b>
Storage temperature:	<b>2-8° C</b>
Name and address of manufacturer:	<b>Intervet International B.V. Wim de Körverstraat 35 5831 AN BOXMEER NEDERLAND</b>
Name and address of the batch release site:	<b>Intervet International B.V. Wim de Körverstraat 35 5831 AN BOXMEER NEDERLAND</b>

### CERTIFICATION BY THE MANUFACTURER

I herewith certify that concerned batch was manufactured and tested according to the procedures approved by the competent authorities and complies with the quality requirement and that all measures have been taken to demonstrate compliance with Directive 2001/82/EC as amended.

Name:  
Function:  
Date:  
Signature:

**P.G. Mooren**  
Qualified Person  
**21 AUG 2014**  


## Manufacturer's Batch Protocol

*Product: Bovilis BVD*

*Batch: A099A02*

### FINAL BATCH TESTING (FINISHED PRODUCT)

<u>Date on</u>	<u>Date off</u>	<u>Test results</u>
05-Feb-2014	26-Feb-2014	<u>Sterility (F09)</u> Tested according to Ph. Eur. 0062/Ph.Eur.2.6.1. Result: No growth Threshold: No growth Conclusion: Passed
07-Feb-2014	19-Feb-2014	<u>Inactivation (F03)</u> Result: Inactivated Threshold: Inactivated Conclusion: Passed
30-Jan-2014	20-Mar-2014	<u>Potency using mice (F11)</u> Result: Conform Threshold: Conform Conclusion: Passed
		<u>Potency BVDV (VN)</u>  Single result: 8 / 8 / 10 / 5 / 7 / 7 Log 2 Average: 7.5 Log 2 Threshold: $\geq 5.6$ Log 2 Conclusion: Passed
02-Apr-2014	02-Apr-2014	<u>Methyl parahydroxybenzoate (F08)</u> Result: 1.4 mg/mL Threshold: 1.2 – 1.8 mg/mL Conclusion: Passed
10-Feb-2014	10-Feb-2014	<u>Aluminium (F08)</u> Tested according to Ph. Eur. 2.5.13 Result: 3.7 mg/mL Threshold: 3.0 – 4.5 mg/mL Conclusion: Passed
28-Feb-2014	28-Feb-2014	<u>pH (F08)</u> Tested according to Ph. Eur. 2.2.3 Result: 7.4 Threshold: 7.0 – 7.8 Conclusion: Passed

## Manufacturer's Batch Protocol

*Product: Bovilis BVD*

*Batch: A099A02*

### FINAL BATCH TESTING (FINISHED PRODUCT)

<u>Date on</u>	<u>Date off</u>	<u>Test results</u>
23-Jan-2014	23-Jan-2014	<u>Visual appearance (F08)</u> Result: Conform Threshold: Pink turbid suspension Conclusion: Passed
23-Jan-2014	23-Jan-2014	<u>Final inspection (F13)</u> Result: Correct cap code Threshold: Correct cap code Conclusion: Passed

## Manufacturer's Batch Protocol

*Product: Bovilis BVD*

*Batch: A099A02*

### PRODUCTION INFORMATION

<u>Component</u>	<u>Batch</u>	<u>Site(s) of manufacturing</u>
Antigen	See composition table	Intervet, Boxmeer, the Netherlands
Antigen	See composition table	Intervet, Salamanca, Spain
Bulk vaccin	see blending	Intervet, Boxmeer, the Netherlands
Filled product	see filling	Intervet, Boxmeer, the Netherlands

### STARTING MATERIALS:

#### Virus seed lots:

Master seed material: **BVD virus strain C86**  
MS-batch number: **F22.4.91**  
Date of last testing: **25-AUG-1994**

Working seed material: **BVD virus strain C86**  
WS-batch number: **27D09**  
Date of last testing: **10-Jul-2009**

#### Permanent cell line:

Master cell seed: **JCK cell line**  
MCS-batch number: **JCK 56' MCS/3**  
Date of last testing: **11-MAY-1999**

### INTERMEDIATE STAGES OF PRODUCTION

#### PRODUCTION OF BVD COMPONENT:

<u>Production step</u>	<u>Start</u>	<u>End</u>	<u>Volume</u>
Batch BBVD3101			
Seed:	31-May-2013	31-May-2013	0.0142 ml/rb
Harvest:	06-Jun-2013	06-Jun-2013	470 kg
Inactivation:	06-Jun-2013	06-Jun-2013	499 kg
Batch SBVD13001			
Seed:	28-May-2013	28-May-2013	0.03 ml/rb
Harvest:	03-Jun-2013	03-Jun-2013	690.40 kg
Inactivation:	03-Jun-2013	03-Jun-2013	704.50 kg

### CREATION OF THE FINISHED PRODUCT

#### BLENDING OF FINAL BULK:

Batch number: **A099**  
Start date: **15-Jan-2014**  
End date: **16-Jan-2014**  
Total volume: **904.9 kg**

## Manufacturer's Batch Protocol

*Product: Bovilis BVD*

*Batch: A099A02*

### COMPOSITION OF THE FINAL BULK

Components	Batch no.	Total units	Final concentration
Active	SBVD13001 BBVD3101	38.90 kg	4.30 %
Adjuvant	0000269573 0000284049 0000269574	454.30 kg	50.20 %
Excipient	0000257120 0000219280 BMGM318601 BMGM312071 0000264744	410.37 kg	45.35 %
Preservative	0000198409	1.36 kg	0.15 %

### FILLING

Batch number of final bulk: **A099**  
Final batch number: **A099A**  
Start date: **20-Jan-2014**  
End date: **20-Jan-2014**  
Filled containers: **30 252**  
Volume filled: **20 ml**

### IN PROCESS CONTROLS

#### In process controls BVD antigen:

<u>Test</u>	<u>Start</u>	<u>End</u>	<u>Result</u>	<u>Thresholds</u>	<u>Conclusion</u>
Batch BBVD3101					
Antigen content	30-Jul-2013	30-Jul-2013	500 EU/ml	n.a.	Passed
Inactivation	09-Aug-2013	21-Aug-2013	Inactivated	Inactivated	Passed
Sterility	14-Jun-2013	05-Jul-2013	No growth	No growth	Passed
Batch SBVD13001					
Antigen content	30-Jul-2013	30-Jul-2013	770 EU/ml	n.a.	Passed
Inactivation	07-Jun-2013	19-Jun-2013	Inactivated	Inactivated	Passed
Sterility	07-Jun-2013	28-Jun-2013	No growth	No growth	Passed

#### In process controls final product:

<u>Test</u>	<u>Start</u>	<u>End</u>	<u>Result</u>	<u>Thresholds</u>	<u>Conclusion</u>
Filling volume	20-Jan-2014	20-Jan-2014	21 ml	>= 21 ml	Passed

**Model for manufacturers of a  
MARKETING INFORMATION FORM**


Notification of the intention to market a batch of an immunological veterinary medicinal product, which has a marketing authorisation in the following EC/EEA Member State Hungary and has received an EC Batch release certificate after OBPR or OCABR in another Member State in accordance with Article 81 or Article 82 of EC Directive 2004/28/EC and in view of mutual recognition.

<b>Trade name in the above mentioned Member State:</b>	Bovilis BVD
<b>International non-proprietary name / Ph. Eur. name / common name:</b>	Bovine viral diarrhoea vaccine (inactivated).
<b>Name and address of Marketing Authorisation Holder (MAH) for the above mentioned Member State:</b>	Intervet International B.V. Wim de Körverstraat 35 5831 AN Boxmeer Represented by the local company
<b>Market authorisation number in the above mentioned Member State:</b>	2974/1-5/11 MgSzH ÁTI
<b>Identification numbers associated with the lot to be marketed in the above mentioned Member State;</b>	
<b>Bulk number (final formulated bulk):</b>	A099
<b>Final lot number:</b>	A099A
<b>Packaging lot number (if different from final lot n°):</b>	A099A02
<b>Batch number of diluent: (where appropriate)</b>	-
<b>Type of Container:</b>	PET Bottles
<b>Number of doses/volume of container:</b>	10
<b>Total number of containers to be marketed in the above noted Member State:</b>	340
<b>Proposed date of marketing:</b>	After approval batch release
<b>Assigned expiry date for this lot in the above noted Member State:</b>	Jul-2015

<b>CA/OMCL performing batch release:</b>	PEI
<b>Type of certificate: (i.e.: OCABR or OBPR)</b>	OBPR
<b>Official batch release certificate number:</b>	20228/14

I hereby declare that:

- this batch is in compliance with the above marketing authorisation and the relevant European Pharmacopoeia monographs;
- this batch is the batch referred to in the accompanying batch release certificate;
- a copy of the batch release certificate (in the case of OCABR with the annexed test results) and the manufacturer's protocol are attached.

<b>Signature of qualified person (MAH):</b>	 <b>P.G. Mooren</b> Qualified Person <b>21 AUG 2014</b>
<b>Name of qualified person (MAH):</b>	
<b>Date of issue:</b>	

Use of the following section is optional

**For completion by the CA/OMCL after submission:**

<b>Date received:</b>	
<b>Signature of qualified authority (CA/OMCL):</b>	
<b>Name of qualified authority (CA/OMCL):</b>	
<b>Decision and Date:</b>	

21-Aug-2014/cc

EDQM ♦ OCABR/OBPR of IVMPs 2010

Paul-Ehrlich-Institut Postfach D-63207 Langen  
Intervet Deutschland GmbH  
Feldstraße 1a  
D - 85716 Unterschleißheim

Reference Number: 20228/14  
Administrative Code: 4/3:2.03.01.0094  
Date of Release of Certificate: 01.08.2014

**EU/EEA OFFICIAL BATCH PROTOCOL REVIEW  
CERTIFICATE OF APPROVAL  
FOR IMMUNOLOGICAL VETERINARY MEDICINAL PRODUCTS**

Examined under Article 81 of Directive 2001/82/EC as amended by Directive 2004/28/EC

Trade name:	Bovilis BVD-MD
International non-proprietary name / Ph. Eur. name / common name:	Bovine viral diarrhoea vaccine (inactivated)
Name and address of manufacturer responsible for batch release:	Intervet International B.V. Wim de Körverstraat 35 P.O. Box 31 NL-5830 AA Boxmeer
Marketing authorisation number (Member State / EC):	180a/96
Manufacturer's batch number(s): - final bulk no - final lot no - packaging lot no	A099 A099A A099A01-10
Batch number of diluent (where appropriate):	-
Type of container:	Glass Bottles
Total number of containers of this batch:	30
Number of doses/volume per container:	25
Date of start of period of validity:	21.01.2014
Expiry date:	06.2015

This batch has been examined using documented procedures that form part of a quality management system.

The signed manufacturer's release protocol for this batch has been examined in conformity with Article 81.

**This batch is in compliance with all of the approved specifications laid down in the above noted marketing authorisation.**

Fees are laid down separately.

  
Mr. Rolf Beckmann







Paul-Ehrlich-Institut Postfach 63207 Langen

Az: 4/3:2.03.01.0094  
Ihr Zeichen: -

**Intervet Deutschland GmbH**

Telefon / Phone +49 (0) 6103 77 7455  
Fax +49 (0) 6103 77 1254  
E-Mail Rolf.Beckmann@pei.de

**Feldstraße 1a  
D – 85716 Unterschleißheim**

07.08.2014

**Bovilis BVD-MD  
Marketing Authorisation No.: 180a/96  
Batch No.: A099A01-10**

### Correction

The European Community/EEA Official Batch Protocol Review Certificate of Approval for Immunological Veterinary Medicinal Products, dated 01.08.2014 for batch A099A01-10 (Reference No. 20228/14) of the product Bovilis BVD-MD is changed as follows:

- **Total number of container of this batch:** 30,252
- **Number of doses/volume per container:** 10

#### Reasons:

- The a.m. certificate contains the erroneous information:
- **Total number of container of this batch:** 30
- **Number of doses/volume per container:** 25

This was an obvious mistake caused by an oversight on the Authority's part which is hereby corrected.

#### Fees:

No fees are charged.

On behalf of the Paul-Ehrlich-Institut

Mr. Rolf Beckmann



Paul-Ehrlich-Institut Postfach 63207 Langen

**Intervet Deutschland GmbH**  
**Feldstraße 1a**  
**D-85716 Unterschleißheim**

Aktenzeichen: 4/3: 2.03.01.0094  
Ihr Zeichen:

**Dr. Ingun Lemke**  
Fachgebiet 4/3  
Abteilung Veterinärmedizin

Telefon / Phone +49 (0) 6103 77 7456  
Fax +49 (0) 6103 77 1254  
Ingun.Lemke@pei.de

11.08.2014

**Bovilis BVD-MD, Zul.-Nr. 180a/96**  
**Änderung des Bescheides über die staatliche Chargenfreigabe**  
**Hier: Änderung des Behältnistyps**

Sehr geehrte Damen und Herren,


der Bescheid über die Freigabe der Chargen A098A01-10 und A099A01-10 des Mittels Bovilis BVD-MD, Zul.-Nr. 180a/96, vom 01.08.2014 (B.-Nr. 20220/14 und 20228/14) wird geändert.

Der Behältnistyp entspricht korrekterweise PET-Flaschen anstatt Glasflaschen.

Begründung:

Nach § 42 Verwaltungsverfahrensgesetz kann das Paul-Ehrlich-Institut Schreibfehler, Rechenfehler und ähnliche offenbare Unrichtigkeiten in einem Verwaltungsakt jederzeit berichtigen. Der o.g. Bescheid zur Chargenfreigabe wird entsprechend geändert.

Mit freundlichen Grüßen  
Im Auftrag

  
Dr. Ingun Lemke



Paul-Ehrlich-Institut Postfach 63207 Langen

**Intervet Deutschland GmbH**  
**Feldstraße 1a**  
**D-85716 Unterschleißheim**

Aktenzeichen: 4/3: 2.03.01.0094  
Ihr Zeichen:

**Dr. Ingun Lemke**  
Fachgebiet 4/3  
Abteilung Veterinärmedizin

Telefon / Phone +49 (0) 6103 77 7456  
Fax +49 (0) 6103 77 1254  
Ingun.Lemke@pei.de

11.08.2014

**Bovilis BVD-MD, Marketing Authorisation Number 180a/96**  
**Amendment of the European Community/EEA Official Batch Protocol Review Certificate of Approval for Immunological Veterinary Products, batch no. A093B01-10**  
Re: Correction of the type of container

#### AMENDMENT

Hereby the certificate concerning the release for batches **A098A01-10** and **A099A01-10** of the product **Bovilis BVD-MD**, marketing authorisation number **180a/96**, dated 01.08.2014 (ref no. 20220/14 and 20228/14) shall be amended as follows:

Type of container	PET bottles
-------------------	-------------

#### Justification:

The certificates dated 01.08.2014 are amended according to § 42 VwVfG (German Administrative Procedures Law) as an incorrect type of containers (glass bottles instead of PET bottles) was erroneously given.

By order

  
Dr. Ingun Lemke

