



CERTIFICATE OF ANALYSIS

Name **VECTRA 3D DOG 10-25 KG** Batch N° **1747500**
Presentation **3P**
Code list **C66130A** Manufacturing date **4-SEP-2014**
Expiry date **4-AUG-2017**

Tests	Specifications	Results
CHARACTERS		
Appearance :	Pale yellow solution	COMPLIES
Relative density :	1.050 - 1.150	1.102
IDENTIFICATIONS		
Permethrin : (by HPLC/UV diode array)	Rt of test substance concordant with the Rt of reference substance and UV spectra superimposable	COMPLIES
Pyriproxyfen : (by HPLC/UV diode array)	Rt of test substance concordant with the Rt of reference substance and UV spectra superimposable	COMPLIES
Dinotefuran : (by HPLC/UV diode array)	Rt of test substance concordant with the Rt of reference substance and UV spectra superimposable	COMPLIES
TESTS		
Clarity :	Clear solution	COMPLIES
Degree of coloration :	$\leq Y2$	COMPLIES
Water content (KF):	≤ 3.0 %	0.2
Uniformity of dosage units :	Complies to Ph.Eur. 2.9.40	COMPLIES
Average delivered mass per pipette (mg) :	3762 - 4158 mg	3951
ASSAYS		
Permethrin content (mg/pipette) :	1357.33 - 1500.21 mg/pipette	1436.22

This batch has been tested in reference to the dossier in force and has been found to meet the specification requirements

COMPLIES / NOT COMPLIES

Checked by : **Maureen MAYENC**

Batch Release number **360139**

Batch Release date **7-NOV-2014**

ACCEPTED by

Stéphanie ZEBST
Quality Assurance Manager

The undersigned certifies this is a true copy of the results of tests and assays.



CERTIFICATE OF ANALYSIS

Name **VECTRA 3D DOG 10-25 KG** Batch N° **1747500**
Presentation **3P**
Code list **C66130A** Manufacturing date **4-SEP-2014**
Expiry date **4-AUG-2017**

Tests	Specifications	Results
ASSAYS		
Permethrin content (%w/w) :	34.28 - 37.88 g %g	36.35
Trans-permethrin (%) :	55.0 - 65.0 %	57.8
Cis-permethrin (%) :	35.0 - 45.0 %	42.2
Pyriproxifen content (mg/pipette) :	16.55 - 18.30 mg/pipette	17.58
Pyriproxifen content (%w/w) :	0.418 - 0.462 g %g	0.445
Dinotefuran content (mg/pipette) :	186.22 - 205.82 mg/pipette	192.02
Dinotefuran content (%w/w) :	4.70 - 5.20 g %g	4.86
DEGRADATION PRODUCTS (HPLC)		
- DEGRADATION PRODUCTS OF PERMETHRIN (%) :		
3-Phenoxybenzyl alcohol (Imp.A)	<=1.0	0.0
3-Phenoxybenzaldehyde (Imp.B)	<=1.0	0.0
Single known (each <=1.0%)		0
Total	<=4.0	0.0
- DEGRADATION PRODUCTS OF PYRIPROXYFEN (%) :		
Unknown (each)	<=1.0	0.0
Total	<=3.0	0.0

This batch has been tested in reference to the dossier in force and has been found to meet the specification requirements

COMPLIES / NOT COMPLIES

Checked by : **Maureen MAYENC**

Batch Release number **360139**

Batch Release date **7-NOV-2014**

ACCEPTED by

Stéphanie ZEBST
Quality Assurance Manager

The undersigned certifies this is a true copy of the results of tests and assays.



CERTIFICATE OF ANALYSIS

Name **VECTRA 3D DOG 10-25 KG** Batch N° **1747500**
Presentation **3P**
Code list **C66130A** Manufacturing date **4-SEP-2014**
Expiry date **4-AUG-2017**

Tests	Specifications	Results
ASSAYS		
- DEGRADATION PRODUCTS OF DINOTEFURAN (%) :		
Any Impurity (each)	<=1.0	0.0
Total	<=3.0	0.0
MICROBIAL QUALITY		
Microbial contamination :		
Total viable aerobic count :	<=100 UFC/ml	0
Total combined Yeasts/ Moulds count	<=10 UFC/ml	0
Pseudomonas aeruginosa :	Absence in 1 ml	COMPLIES
Staphylococcus aureus :	Absence in 1 ml	COMPLIES

This batch has been tested in reference to the dossier in force and has been found to meet the specification requirements

COMPLIES / NOT COMPLIES

Checked by : **Maureen MAYENC**

Batch Release number **360139**

Batch Release date **7-NOV-2014**

ACCEPTED by

Stéphanie ZEBST
Quality Assurance Manager

The undersigned certifies this is a true copy of the results of tests and assays.

Page 3 sur 3