

Certificate of Analysis

Product: **Diluvac Forte 10x200ml 290**
Batch: **D567A04**



Country: **Hungary**
Sales Order Number: **1103658437 / 10**
Delivery Number: **1204543735 / 900001**

Material Number:
064093

Package Size:
200 ML


Manufacturing Date: **06-Oct-2014**
Expiry Date: **Sep-2016**

Storage Conditions:
15-25°C

CERTIFICATION BY THE MANUFACTURER

I herewith certify that the presented information is authentic and accurate. All measures have been taken to demonstrate compliance with Directive 2001/82/EC as amended. This batch has been manufactured /fabricated (incl. APIs and intermediates if applicable) including packaging and quality control, in full compliance with the GMP requirements of the local Regulatory Authority and with the specifications in the Marketing Authorization of the importing country. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Name:
Function:
Date:
Signature:

P.G. Mooren
Qualified Person
31 MAR 2015


Certificate of Analysis

Product: *Diluvac Forte 10x200ml 290*
Batch: *D567A04*

INTERVET INTERNATIONAL BV
Wim de Körverstraat 35
P.O. Box 31, 5830 AA BOXMEER
NETHERLANDS



Results of Analysis

<u>Test</u>	<u>Method</u>	<u>Specification</u>	<u>Result</u>
Appearance; White Opalescent Emulsion		Complies	Complies
Identity DL-alphatocopherol		Positive	Positive
Content DL-alphatocopherol		71.2 - 78.8 mg/mL	74.8 mg/mL
pH	Ph, Eur. 2.2.3	6.8 - 7.3	6.9
Contents on Average		206.0 - 210.0 mL/VL	206.8 mL/VL
Sterility		No growth	No growth
Droplet size: 95% ≤ 1 Some up to 5 µm		Complies	Complies
Identity Sodium		Positive	Positive
Identity Potassium		Positive	Positive
Identity Phosphate		Positive	Positive