CERTIFICATE OF ANALYSIS

PRODUCT: Forthyron Flavoured 400mcg Tablets 250's (AT/HU/E

BATCH NO: 76524

DATE OF MANUFACTURE: December 2015

DATE OF TESTING: January 2016

EXPIRY DATE: November 2017



EXPIRY DATE: November 2017

At the time of testing the results below were obtained for the above product and this batch is released into the market.

No.	Test	Specification		Result
1	Appearance	Off White round tablet with brown spots, quadrisect with side scores, diameter 9mm		Complies
2	Identification Levothyroxine HPLC	Levothyroxine Present HPLC		Complies
	Identification Levothyroxine Colour reaction	Levothyroxine Present Colour reaction		Complies
3	Assay of Levothyroxine Sodium	380 - 420μg/tablet (Release) 360 - 420μg/tablet (Shelf Life)		393µg/tablet
4a	Average Mass	290-310mg		305mg
4b	Weight Deviation	Maximum Minimum		311mg/tablet 300mg/tablet
4c	Weight Uniformity	+/- 5% in at least 18 of 20 tablets (FIO) None outside +/- 10%		Complies
5	Friability	≤1%		0.5%
6	Resistance to Crushing (Scored side up, breakmarks diagonal to crushing plates)	40-100N (Release) Minimum 20N (Shelf Life)		79N
7	Disintegration	NMT 15 minutes		2 minutes
8	Uniformity of Dosage Units	Complies if L1 value of 15.0 is met for 10 tablets (L2 is 25.0 for 30 tablets) <i>Ph Eur</i> 2.9.40		Complies
9	Dissolution Rate*	Q = 70% at 45 minutes (Ph Eur 2.9.3 and USP <711>)		100%
10	Microbial Purity**	TVC (aerobic) TFC (yeasts & moulds) E.coli	NMT 2000 cfu/g NMT 200 cfu/g Absent in 1g	N/A N/A N/A
* Test 1 batch per year (or when requested by customer / authorities/stability) Initially test as described for S ₁ below. If S ₁ fails to meet acceptance criteria, proceed to S ₂ If S ₂ fails to meet criteria, proceed to S ₃ S ₁ – Test 6 tablets, each unit must be NLT Q + 5% S ₂ – Test a further 6 tablets, the average of 12 units (S ₁ + S ₂) should be NLT Q. No unit should be less than Q – 15% S ₃ – Test a further 12 tablets, the average of 24 units (S ₁ + S ₂ + S ₃) should be NLT Q. Not more than 2 units should be less than Q – 15% and no unit should be less than Q – 25%				
** Test 1 batch per year (or when requested by customer / authorities/stability)				
Signed Date 72 74M /6 R D Burton BSc CBiol MRSB				
Qualified Person				



Dales Pharmaceuticals

CERTIFICATE OF CONFORMITY

Manufacturing Company:

Dales Pharmaceuticals

Address:

Snaygill Industrial Estate, Skipton, North Yorkshire, BD23 2RW

Manufactured For:

Dechra Veterinary Products Ltd.

Address:

Dechra Pharmaceuticals Manufacturing Bladel

Handelsweg 25 Bladel, 5531, AE Netherlands

Product Name: Forthyron Flavoured 400mcg Tablets 250's (AT/HU/EL)

Packed Product Code: 91528

Lot Number:

76524

Packaging Date: January 2016

It is hereby certified that the above information is authentic and accurate.

11/9/14

This batch of product has been manufactured, including packaging and quality control at the above mentioned site in full compliance with GMP requirements of the local Regulatory Authority and with the specifications in the Marketing Authorization of the importing country.

The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP. The batch is released into the market.

Signature:

R D Burton BSc CBiol MRSB

Qualified Person

Date: 22 74M16

