



KELA N.V.  
St-Lenaartseweg 48  
B-2320 Hoogstraten  
Belgium

T. +32 3 340 04 11  
F. +32 3 340 04 23  
E-mail: info@kela.be  
BTW BE 0403.835.645  
RPR Turnhout

SOP 426  
Page 1/ 2

**ANALYSE CERTIFICAAT - CERTIFICAT D'ANALYSE - CERTIFICATE OF ANALYSIS**

NEWCO PHARM HUNGARIA KFT  
RÁKÓCZI U. 142 - 146.  
7100 SZEKSZÁRD  
HUNGARY

Hoogstraten, 26.07.2017

**Material**

D113X12-006994-01 NEOVIT FORTE 12 X 100 ML

Pharmaceutical Form:

Sterile solution

Batch 27424A10 / Manufacturing Date 06.2017 Expiry date 06.2019

Inspection lot 40000025232 from 06.2017

**CERTIFICATION STATEMENT:** I hereby certify that all the manufacturing stages of this batch of finished product have been carried out in full compliance with the GMP requirements of the EU and with the requirements

of the Marketing Authorisation of the destination country.

Formula: vit.A 50.000 I.U. - vit.D3 25.000 I.U. - vit.B1 10 mg - vit.B2 0,04 mg - vit.B6 1 mg - vit.B12 10 mcg - vit.E acetate 4 mg - pantothenol 2 mg - nicotinamide 5 mg - meso-inositol 2 mg - methionin 5 mg - choline citrate 5 mg - magnesium sulphate 7 aqua 1 mg - cobalt chloride 6 aqua 0,02 mg - copper sulfat 5 aqua 0,1 mg - zink sulphate 7

aqua 0,1 mg - manganese sulfat 1 aqua 0,1 mg - excipients q.s. ad 1 ml

Aspect: clear, yellow solution with typical odour

Dig. Sign.: Van Buggenhout Kris  
18.07.2017 15:05:27

Qualified Person

Conclusion:  
Quality test complied



Characteristic	Unit	Value	Lower Limit	Upper Limit
Aspect		Complies		
Average volume (100 ml)	%	100,56	98,00	102,00
Relative density		1,025	1,010	1,040
pH		3,95	3,50	4,50
Id: Vitamin A propionate		Complies		
Id: Vitamin D3		Complies		
Id: Vitamin E acetate		Complies		
Id: Vitamin B1		Complies		
Id: Vitamin B3		Complies		
Id: Vitamin B6		Complies		
Id: Dexpanthenol		Complies		
Id: Benzyl alcohol		Complies		
Assay: Vitamin A propionate	%	105,73	90,00	110,00
Assay: Vitamin D3	%	97,70	90,00	110,00
Assay: Vitamin E acetate	%	101,06	90,00	110,00
Assay: Vitamin B1	%	97,79	90,00	110,00
Assay: Vitamin B3	%	98,46	90,00	110,00
Assay: Vitamin B6	%	94,97	90,00	110,00
Assay: Dexpanthenol	%	98,46	90,00	110,00
Assay: Benzyl alcohol	%	102,92	90,00	110,00
Sterility		Complies		