

CLAVASEPTIN 50MG ÍZES.TBL.KUTYAMACSKA
Gysz: 9C2513G Lej: 21/09/04
Kisz: 10X Me.: Doboz
SZÉKELY KFT részére

Medimpex Gy. Zrt.
1158 Budapest
Rákospalotaihatárút2
Tel: +36-1-414-6477
Fax: +36-1-414-6479


vetoquinol
ACHIEVE MORE TOGETHER
CERTIFICATE OF ANALYSIS

Page 1/2

FINISHED PRODUCT		
Product name : CLAVASEPTIN 50 10 CY HU RO	Analytical code : 426052	
Pharmaceutical form : Not Coated Tablets	Manufacturing date : 05/09/2019	
Batch number : 9C2513G	Expiration date : 04/09/2021	
TESTS	SPECIFICATIONS	RESULTS
Characteristics of tablets	Oblong, off-white to brownish sprinkled, scored	Pass
Length	$\geq 9.8 \leq 10.2$ mm	10.1 mm
Average weight and uniformity of weight		
Average mass	$\geq 99.4 \leq 100.0$ mg	96.1 mg
Uniformity of mass	Complies with Eur. Ph. 2.9.5.	Pass
Resistance to crushing	≥ 30 N	49 N
Disintegration test	≤ 15 min	< 4 min
Equilibrium relative humidity	≤ 15 %	11 %
Amoxicillin dissolution rate	Q=85% within 30 min	101 %
Amoxicillin dissolution compliance	Complies with Eur. Ph. 2.9.3	Pass
Clavulanic ac dissolution rate	Q=80% within 30 min	105 %
Clavulanic ac dissolution compliance	Complies with Eur. Ph. 2.9.3	Pass
Amoxicillin and clavulanic acid identity (HPLC)		
Amoxicillin UV spectrum	Positive	Pass
Amoxicillin retention time	Positive	Pass
Clavulanic acid UV spectrum	Positive	Pass
Clavulanic acid retention time	Positive	Pass
Amoxicillin and clavulanic acid assay		
Amoxicillin content	$\geq 38.00 \leq 42.00$ mg/tab	41.46 mg/tab.
Clavulanic acid content	$\geq 9.78 \leq 10.82$ mg/tab	10.15 mg/tab.

This document has been produced electronically and is valid without a signature.

LABORATOIRE PHARMACEUTIQUE VÉTÉRINAIRE

Magny-Vernois | B.P. 189 | 70204 Lunéville Cedex (France) | TÉL. : +33 (0) 3 84 62 55 55 - FAX : +33 (0) 3 84 62 55 56
VETOQUINOL S.A. au Capital de 29.704.785 € | SIRET 476 266 111 | URV171RLS VESOUIL GRAY B 476 250 111

Meoszám: 191200012MBT

7.pld. Kiadva: 20/01/23

MEDIMPEX GYÓGYSZER ZRT.
1158 Bp., Rákospalotai határút 2.
Nagyné Kári Éva
Minőségbiztosító szakasszisztens
Csak a piros szín hiteles!

CLAVASEPTIN 50MG ÍZES.TBL.KUTYAMACSKA
Gysz:9C2513G Lej:21/09/04
Kisz:10X Me.:Doboz
SZÉKELY KFT részére

Medimpex Gy. Zrt.
1158 Budapest
Rákospalotaihatárút2
Tel:+36-1-414-6477
Fax:+36-1-414-6479

**vetoquinol**
ACHIEVE MORE TOGETHER
CERTIFICATE OF ANALYSIS

Page 2/2

FINISHED PRODUCT		
Product name : CLAVASEPTIN 50 10 CY HU RO	Analytical code : 426052	
Pharmaceutical form : Not Coated Tablets	Manufacturing date : 05/09/2019	
Batch number : 9C2513G	Expiration date : 04/09/2021	
TESTS	SPECIFICATIONS	RESULTS
Amoxicillin purity (HPLC)		
Imp.A	<= 1.0 %w/w	<0.3 % w/w
Imp.B	<= 1.0 %w/w	<0.3 % w/w
Imp.C	<= 1.0 %w/w	<0.3 % w/w
Imp.D	<= 1.0 %w/w	<0.3 % w/w
Imp.E	<= 1.0 %w/w	<0.3 % w/w
Imp.F	<= 1.0 %w/w	0.4 % w/w
Imp.G	<= 1.0 %w/w	0.5 % w/w
Imp.K	<= 1.0 %w/w	<0.3 % w/w
Any unidentified degradation product	<= 1.0 %w/w	<0.3 % w/w
Total unidentified degradation products	<= 2.0 %w/w	<0.3 % w/w
Total degradation products	<= 3.0 %w/w	0.9 % w/w
Clavulanic acid impurities (HPLC)		
Any unspecified degradation product	<= 1.0 %area	<0.3 % area
Total degradation products	<= 2.0 %area	<0.3 % area

I hereby certify that this lot is manufactured, packed and labelled under conditions as stated in the current European Union rules for Good Manufacturing Practice for medicinal products for veterinary use, and that the finished product in all aspects answers the requirements laid down in the marketing authorisation.

Released by Qualified Person :	Paul-Adrien MATHON
Date :	25/10/2019 14:39:21
Decision :	FULL RELEASE

This document has been produced electronically and is valid without a signature.

LABORATOIRE PHARMACEUTIQUE VÉTÉRINAIRE

Magny-Vernois | B.P. 189 | 70204 Lure Cedex | France | Tél. : +33 (0) 3 84 62 55 55 - Fax : +33 (0) 3 84 62 55 56
VETOPHARMA S.A. | ag Capital de 29,764,755 € | SIRET 476 200 111 00012 | RCS YVESBUL GRAY B 476 200 111

Meoszám:191200012MBT

7.pld. Kiadva: 20/01/23

MEDIMPEX GYÓGYSZER ZRT.
1158 Bp., Rákospalotai határút 2.
Nagyéné Kári Éva
Minőségbiztosító szakasszisztens
Csak a piros szín hiteles